

Owensboro, KY
270.684.4202

Russellville, KY
270.725.8948

Greensburg, IN
812.222.1220

Mt. Vernon, IL
618.847.0283

Continental NH₃ Auto Rate Flow Control



A-SF-3000GHY2-K

Auto Rate Flow Control Kits Include:

- Heat exchanger
- Flow meter
- Y-Strainers
- Ball valves
- Motorized valves
- All pipe fittings
- Mounting brackets



PART#	CONNECTION SIZE	MOUNTING OPTION	FLOW RATING @ 100PSI WITH 1 1/4" HOSE	FLOW RATING @ 100PSI WITH 1 1/2" HOSE
A-SF-3000GT-KIT	1 1/2"	Single Unite Vertical Mount	30 GPM	45 GPM
A-SF-3000GH-K	1 1/2"	Single Unit Horizontal Mount	30 GPM	45 GPM
A-SF-3000BD-K	1 1/2"	Dual Welded Unit Horizontal Mount	45 GPM	70 GPM
A-SF-3000GHY2-K	2"	Single Unit Horizontal Mount	45 GPM	70 GPM

Heat Exchangers

PART#	CONNECTION SIZE	MOUNTING OPTION	FLOW RATING @ 100PSI WITH 1 1/4" HOSE	FLOW RATING @ 100PSI WITH 1 1/2" HOSE
A-SF-3000GT	1 1/2"	Single Unite Vertical Mount	30 GPM	45 GPM
A-SF-3000GH	1 1/2"	Single Unit Horizontal Mount	30 GPM	45 GPM
A-SF-3000BD	1 1/2"	Dual Welded Unit Horizontal Mount	45 GPM	70 GPM

- 1 1/2" Fittings allows for more capacity and faster speeds in colder weather
- 13" high mounting brackets
- Flexible mounting options



A-SF-3000BD

NH₃ Application


Call for Pricing



163

RAVEN

Raven NH3 Flow Control




AccuFlow Standard

AccuFlow

- Six-section NH3 control with Raven's AccuBoom and Switch Pro automatic on-off and VRA section control technology for maximum savings, efficiency and performance
- Your choice of valve options to match your farming needs and budget
- Two-valve option for maximum precision and performance—one valve opens/closes the system and the other controls the flow rate. Ideal for variable rate applications
- Single fast-valve option for a lower cost alternative with trusted savings and precision
- Convenient cooler disassembly for easier cleaning and maintenance, long life, and superior performance and reliability
- NH3 monitoring options in gallons or pounds per acre for your preference/situation
- Space-saver plumbing kits for both the two-valve and fastvalve systems for added convenience when space is limited

AccuFlow Vortex

- Standard system without pump--50 GPM
- HP Plus system with up to 80 GPM flow capacity
- Increased capacity and smaller footprint on the toolbar
- Increased application window
- Designed with safety in mind
- All trapped NH3 in the cooler and plumbing is bled out through the vapor lines away from operator
- Increased serviceability of major components
- Advanced control algorithms for high or low end operation
- Enhanced system diagnostics
- Automatic section shut off
- ISO compatible



AccuFlow Vortex HP Plus

NH3 Application

164



Call for Pricing

Visit Us Online @ www.ohiovalleyag.com

N-Vision™

Anhydrous Ammonia Sentry


N-Vision™ carefully monitors every drop of Anhydrous Ammonia providing a detailed look into the tank and plumbing system. With N-Vision™ extreme gains in productivity and the ultimate confidence in your application is achieved. Applying anhydrous blindly is a thing of the past. Correct application of nitrogen is critical to getting the highest yield from your crops. No more bad tanks, no more stopping early - just the application you want.

Performance


- More acres per tank
- Tank empty detection
- Low tank supply alert
- Huge flow capacity
- 3-Dimensional straining

Value

- Productivity
- No vapor burn
- Low service
- Ultimate connectivity



Stand-a-lone console or app based



5. Outlet Flow

After the N-Vision separates the phase change, a pure and meterable ammonia is provided to the distribution and metering devices.

4. Vapor Flow to Row Unit

The liquid level setpoint is maintained by PWM valves to remove vapor to row units as more vapor enters the housing and rises to the top. This action provides a pure and meterable ammonia to the distribution and metering devices.

3. Separation

Once the ammonia mixture rises to the preset level determined by the liquid level sensor, the heavier liquid flows through perforations and down to the outlets. The lighter vapor rises upward and is maintained in a vapor head.

2. Filtration

Ammonia flows upward through 3-D filter media removing particulate.

1. Inlet Flow

Flow contains mixture of liquid and vaporous ammonia with particulate from supply tank.

NH3 Application

Call for Pricing



165




Globe Valves



PART#	INLET	OUTLET	REPAIR KIT
110280	1"	1"	310-22
110320	1 1/4"	1 1/4"	312-22
110355	1 1/2"	1 1/2"	314-22
110375	2"	2"	316-22



PART#	INLET	OUTLET	REPAIR KIT
A-1250	1"	1"	A-2212RK
A-2425	1 1/4"	1 1/4"	A-24-RK
A-2450	1 1/2"	1 1/2"	A-24-RK
A-2600	2"	2"	A-26-RK



PART#	INLET	OUTLET	REPAIR KIT
A-1350	1"	1"	A-2212RK
A-1625	1 1/4"	1 1/4"	N/A
A-1650	1"	1"	N/A
A-2525-C	1 1/4"	1 1/4"	A-25H-RK
A-2525-H	1 1/4"	1 1/4"	A-25H-RK
A-2550	1 1/2"	1 1/2"	A-24-RK
A-2700	2"	2"	A-26-RK



PART#	INLET	OUTLET
A7510BP	1 1/4"	1 1/4"
A7514AP	2"	2"

Hi-Flow Hose End Valves



PART#	INLET	OUTLET	BODY MATERIAL	REPAIR KIT
110333	1"	1"	Aluminum	329-22
110334	1"	1 1/4"	Ductile Iron	330-22
110336	1 1/4"	1 1/4"	Ductile Iron	330-22
110338	1 1/4"	1 1/4"	Aluminum	333-22
110337	1 1/2"	1 1/2"	Aluminum	333-22



PART#	INLET	OUTLET
A7507AP	1"	1"
A7509BP	1 1/4"	1 1/4"
A7513AP	2"	2"
A7517AP	3"	3"



PART#	INLET	OUTLET	STYLE
A-1510	1"	1"	ANGLE
A-1610	1"	1"	GLOBE

Angle Valves



PART#	INLET	OUTLET	REPAIR KIT
110260	3/4"	3/4"	308-22
110300	1"	1"	310-22
110335	1 1/4"	1 1/4"	312-22
110365	1 1/2"	1 1/2"	314-22
110395	2"	2"	316-22



PART#	INLET	OUTLET	STYLE
A7707L	1"	1"	GLOBE
A7708L	1"	1"	ANGLE



Owensboro, KY

270.684.4202

Russellville, KY

270.725.8948


Greensburg, IN

812.222.1220

Mt. Vernon, IL

618.847.0283

Hose End Valve Assemblies



A-215-L

PART#	INLET	OUTLET	STYLE
A-215-L	1 1/4"	1 3/4" Female Acme	Globe
A-216-L	1 1/2"	2 1/4" Female Acme	Globe
A-217-L	1 1/2"	2 1/4" Female Acme	Globe

Nurse Tank Valves



A-1201



A-1206

PART#	TANK CONNECTION	OUTLET	FLOW RATE
A-1201	1 1/4" MPT	1 3/4" M. Acme	42 GPM
A-1201-B	1 1/4" MPT	1 3/4" M. Acme	42 GPM
A-1201-C	1 1/4" MPT	1 3/4" M. Acme	42 GPM
A-1204	3/4" MPT	3/4" FPT	42 GPM
A-1204-E	1" MPT	1" FPT	42 GPM
A-1204-F	1 1/4" MPT	1 1/4" FPT	42 GPM
A-1206-E	1 1/4" MPT	1" FPT	42 GPM
A-1206-F	1 1/4" MPT	1 1/4" FPT	42 GPM
A-1207-F	1 1/4" MPT	1 1/4" FPT	42 GPM
*A-1406-F	1 1/4" MPT	1 1/4" FPT	45 GPM
*A-1406-FLK	1 1/4" MPT	1 1/4" FPT	45 GPM
*A-1406-GA	1 1/4" MPT	1 1/2" FPT	45 GPM
*A-1407-FLK	1 1/2" MPT	1 1/2" FPT	45 GPM
*A-1507-F	1 1/4" MPT	1 1/4" FPT	60 GPM
*A-1507-GA	1 1/2" MPT	2 1/4" FPT	60 GPM

Nurse Tank Valves



A8018DP



A8016DP



A8017DP

PART#	INLET CONN.	OUTLET CONN.	FILLING CONN.
A8018DP	1 1/4" MPT	1" FPT	1 3/4" M. Acme
A8016DP	1 1/4" MPT	N/A	1 3/4" M. Acme
A8017DP	1" MPT	1" FPT	N/A

*High Flow

Nurse Tank Valves



111135



111151

PART#	TANK CONN.	OUTLET	FILLING RATE	REPAIR KIT	SIDE OUTLET
111135	1 1/4" MNPT	1 3/4" M. Acme	100 GPM	310-22	Plugged
111610	1 1/4" MNPT	1 3/4" M. Acme	75 GPM	310-22	Plugged
111187	1 1/4" MNPT	1 3/4" M. Acme	93 GPM	310-22	Plugged
110741	1 1/2" MNPT	1 1/2" FNPT	176 GPM	480-22	Plugged
110739	1 1/2" MNPT	1 1/2" FNPT	45 GPM	480-22	Plugged
110740	1 1/2" MNPT	1 1/2" FNPT	150 GPM	480-22	Plugged
111185	1 1/4" MNPT	1" FNPT	45 GPM	310-22	Built-In Relief
111190	1 1/4" MNPT	1" FNPT	45 GPM	310-22	Built-In Relief
111151	1 1/4" MNPT	1" FNPT	45 GPM	310-22	Plugged
110732	1 1/4" MNPT	1 1/4" FNPT	45 GPM	480-22	Plugged
110720	1 1/4" MNPT	1 1/4" FNPT	45 GPM	480-22	Plugged
110722	1 1/4" MNPT	1 1/4" FNPT	60 GPM	480-22	Plugged
110728	1 1/4" MNPT	1 1/2" FNPT	45 GPM	480-22	Plugged
110730	1 1/4" MNPT	1 1/2" FNPT	60 GPM	480-22	Plugged

NH3 Application

Call for Pricing



167

Riser Valves



PART#	INLET CONN.	OUTLET CONN.	FLOW RATE	REPAIR KIT
110594	1 1/2" MPT	1 1/4" FPT	95 GPM	480-22

1/4" FNPT Side Outlet has Hydrostatic Relief

Flo-Max Safety Couplers



113019

113026

PART#	DESCRIPTION	INLET	OUTLET
113026	FM126 Only (No Bracket)	1 1/4" FNPT	1 1/4" FNPT
113027	FM126 With RB Bracket	1 1/4" FNPT	1 1/4" FNPT
113028	FM126 With EZ Bracket	1 1/4" FNPT	1 1/4" FNPT
113202	FM150 With EZ Bracket	1 1/2" FNPT	1 1/2" FNPT
113023	RB Bracket	Fits FM126, FM125 & Pioneer 1" or 1 1/4"	
113019	FM126 EZ Bracket		



110750



110795

Relief Valves



110815

110816

PART#	PRIMARY APPLICATION	SIZE (MNPT)	RELIEF SETTING
110815	Piping & Hose	1/4"	350 PSI
110816	Piping & Hose	1/4"	450 PSI
110750	Storage & Nurse Tanks	3/4"	250 PSI
110795	Storage & Nurse Tanks	1 1/4"	250 PSI

Vapor & Liquid Valves



PART#	MNPT	FNPT	RELIEF	RATE
110575	1 1/4"	1"	Plugged Side	70 GPM
110580	1 1/4"	1"	Hydrostatic	70 GPM
110590	1 1/4"	1 1/4"	Plugged Side	70 GPM
110595	1 1/2"	1 1/4"	Plugged Side	95 GPM

TriPod Safety Couplings



113065



113056

PART#	INLET	OUTLET	CAPACITY
*113051	1"	1"	55 GPM
*113056	1"	1"	77 GPM
*113059	1 1/4"	1 1/4"	126 GPM
113065	3" MPT x 2" FPT	3" MPT x 2" FPT	300 GPM

*Includes Mounting Bar & Hardware Kit

FM126/125 REPLACEMENT PARTS	
PART#	DESCRIPTION
113044	O-Ring & Tool Kit
113041	Plunger Kit
113046	O-Ring Kit
113048	Quad O-Ring Kit
119395	O-Ring FM Male Tip
113012	Safety Decal
119394	Male Plug
113047	Female Half
113049	Male Half
113022	Retaining Ring

FM150 REPLACEMENT PARTS	
PART#	DESCRIPTION
113207	O-Ring & Tool Kit
113208	Plunger Kit
113209	O-Ring Kit
113210	Quad O-Ring Kit
113211	Quad O-Ring Female
113212	O-Ring FM Male Tip
113214	Safety Decal
113213	Male Plug
113205	Female Half
113206	Male Half



Owensboro, KY

270.684.4202

Russellville, KY


270.725.8948

Greensburg, IN

812.222.1220

Mt. Vernon, IL

618.847.0283



PART#	DESCRIPTION
A-HFC-114-LB	High Flow Coupler
A-HFC-114	1 1/4" Coupler with Bracket
A-HFC-112-G	1 1/2" Coupler with Bracket

Quick Disconnect Couplers



PART#	DESCRIPTION
A-SWV-125	1 1/4" Quick Disconnect Coupler
A-SWV-150	1 1/2" Quick Disconnect Coupler

"C" Series Meters



PART#	INLET	OUTLET	MAX FLOW CAPACITY	SHUT OFF ASSEMBLY
C-2500-RPR	1" MPT	14 1/8" FPT	2500# Nitrogen Per Hour at 100# Tank Pressure	Rope Pull
C-2500-6572	1" MPT	14 1/8" FPT		Hydraulic Actuator
C-2503-RPR	1" MPT	1" FPT		Rope Pull
C-2503-6572	1" MPT	1" FPT		Hydraulic Actuator
C-4100-RPR	1" MPT	14 1/8" FPT	750-4200# Nitrogen Per Hour at 100# Tank Pressure	Rope Pull
C-4100-6572	1" MPT	14 1/8" FPT		Hydraulic Actuator
C-4103-RPR	1" MPT	1" FPT		Rope Pull
C-4103-6572	1" MPT	1" FPT		Hydraulic Actuator

**A-4125RS: Repair Kit for C-2500 & C-4100 Series Meters

Safety Couplings



PART#	MALE	ACME
A-577-B	1"	1 3/4"
A-577-C	1 1/4"	1 3/4"
A-577-D	1 1/4"	1 3/4"
A-577-G	1 1/2"	2 1/4"

Super Flow Meter



PART#	INLET	OUTLET	MAX FLOW CAPACITY	SHUTOFF ASSEMBLY
B9500	1"	1"	6200# Nitrogen Per Hour at 100# Tank Pressure	Rotary Actuator
B9500-B	1 1/4"	1 1/4"		

**B-9500RS: Repair Kit for B-9500 Series Super Flow Meters

Riser Safety Shear



PART#	SIZE	FLOW RATE
A-53-RSS	1" MPT	53 GPM
A-72-RSS	1 1/4" MPT	72 GPM
A-98-RSS	1 1/4" MPT	98 GPM

Replacement Shears

PART#	REPAIRS
53-RSS	A-53-RSS
72-RSS	A-72-RSS
98-RSS	A-98-RSS

Hydraulic Rotary Actuator



PART#	DESCRIPTION
R-6572	1" FPT or 1 1/4" FPT In-line Shutoff
R-9590	1" FPT or 1 1/4" FPT Stand Alone Shutoff

NH3 Application

Call for Pricing



169



Manifolds



111670



111665



111259

PART#	DESCRIPTION
111670	21-Port Junior
111665	16-Port Sweet 16
111259	1" MNPT NH3 Manifold




PART#	DESCRIPTION
111655	2-Way Flow Splitter
111660	3-Way Flow Splitter
111675	4-Way Flow Splitter
111669	5-Way Flow Splitter



PART#	DESCRIPTION
IP-1300	Impellicone 13 Port
IP-1800	Impellicone 18 Port



PART#	DESCRIPTION
A-6006B	14-Port Manifold



PART#	DESCRIPTION
A-360SP	Splitter 3 to 9 Sections
A-360-MA	Manifold 3-12 Outlet

Male Acme x MNPT



PART#	MALE ACME	MNPT	ACME GASKET
111415	1 3/4"	1/2"	ST-1102A-16
111420		3/4"	
111425		1"	
111431		1 1/4"	
111569	2 1/4"	1 1/2"	ST-1E8126
111537		1"	
111539		1 1/4"	
111570		1 1/2"	
122055	3 1/4"	2"	ST-1E8128
111546		2"	
111556		3"	
122065	4 1/4"	3"	T10948



PART#	MALE ACME	MNPT	ACME GASKET
A-524A	1 3/4"	1/2"	22-71F
A-524		3/4"	
A-524B		1"	
A-524C		1 1/4"	
A-532	2 1/4"	2"	A-532-2
A-534		2"	
A-540	3 1/4"	2"	
A-542		3"	

Male Acme x FNPT



PART#	MALE ACME	FNPT	ACME GASKET
111466	1 3/4"	1"	ST-1102A-16
122055	2 1/4"	1 1/4"	ST-1E8126
111561	3 1/4"	2"	ST-1E8128
111566			
122090	4 1/4"	3"	T10948

NH3 Application



Owensboro, KY

270.684.4202

Russellville, KY

270.725.8948

Greensburg, IN

812.222.1220

Mt. Vernon, IL

618.847.0283



Parking Plugs



111462

111500



PART#	MALE ACME	FNPT	ACME GASKET
A-1103	1 3/4"	1/2"	22-71F
A-525		3/4"	
A-525B		1"	
A-544	3 1/4"	2"	A-540-2

PART#	SIZE	INCLUDES
111461	1 3/4" Male Acme	N/A
111462	1 3/4" Male Acme	Bolt, Nut & Washer
111500	2 1/4" Male Acme	N/A

Male Acme x Male Acme



PART#	MALE ACME SIZES	ACME GASKET
111436	1 3/4" x 1 3/4"	ST-1102A-16
111446	2 1/4" x 2 1/4"	ST-1E8126
122107	3 1/4" x 3 1/4"	ST-1E8128
122109	4 1/4" x 4 1/4"	T10948

Swivel Unions



PART#	PIPE SWIVEL	PIPE THREAD
230153	1" FNPT	1" MNPT
230157	1 1/4" FNPT	1 1/4" MNPT
230263	1 1/2" FNPT	1 1/2" MNPT

Acme Adaptor Caps



PART#	MALE ACME	FEMALE ACME
150573	1 3/4"	2 1/4"
122131	1 3/4"	3 1/4"
122135	3 1/4"	4 1/4"

Filler Couplings



TYPE A



TYPE B



TYPE C

PART#	COUPLING	F. ACME	INLET CONN.
110665	TYPE A	1 3/4"	1/2" MNPT
110670			3/4" MNPT
110675			1" MNPT
110683	TYPE B	2 1/4"	1 1/4" MNPT
110686			2" MNPT
122155			3" FNPT
110641	TYPE C	1 3/4"	3/4" MNPT
110645			1" MNPT
110650		2 1/4"	1 1/4" MNPT
110651			1 1/2" MNPT



PART#	MALE ACME	FEMALE ACME
A-580	1 3/4"	1 3/4"
A-582	1 3/4"	2 1/4"
A-584	1 3/4"	3 1/4"

SS Flex Connectors



CONNECTION SIZE	MATERIAL
1 1/4"	Stainless Steel Double Braid w/ Hex Wrenching Flats
2"	
3"	

**Multiple Sizes Available

Call for Pricing




171

NH3 Application



Excess Flow Valves



PART#	TYPE	INLET CONN.	OUTLET CONN.
111335	TYPE A	1 1/4" MNPT	1 1/4" FNPT
111381		2" MNPT	2" FNPT
111356	TYPE B	2" MNPT	2" FNPT
111371		3" MNPT	2" FNPT
111340	TYPE C	1 1/4" MNPT	1 1/4" MNPT
111380		1 1/2" MNPT	1 1/2" MNPT
111347		2" MNPT	1 1/4" FNPT
111375		3" MNPT	2" MNPT
111382		3" MNPT	2" MNPT
111361		2" MNPT	2" MNPT x 1 1/4" FNPT
111364		3" MNPT	3" MNPT x 2" FNPT
111365		3" MNPT	3" MNPT x 2" FNPT

Reusable Hose Couplings




PART#	COUPLING TYPE	SIZE	HOSE I.D.
117296	Standard (Type A)	1" MNPT	1"
117316	Swivel (Type B)	1 3/4" Female Acme	1"

Two-Bolt Clamp Hose Coupling



PART#	COUPLING TYPE	SIZE	HOSE I.D.
122206	Standard Outlet	1" MNPT	1"
117312		1" MNPT	1 1/4"
122211		1 1/4" MNPT	1 1/4"
122216		1 1/2" MNPT	1 1/2"
122221		2" MNPT	2"
122225		3" MNPT	3"

Back Check Valves



PART#	APPLICATION	INLET CONN.	OUTLET CONN.
111385	Tanks or In-Line	1 1/4" MNPT	1 1/4" FNPT
111390		2" MNPT	2" FNPT
111395		3" MNPT	3" FNPT
111400		2" MNPT	2" MNPT
111398	In-Line Full Flow Swing Check	1 1/4" FNPT	1 1/4" FNPT
111399		1 1/2" FNPT	1 1/2" FNPT
120845		2" FNPT	2" FNPT
120847		3" FNPT	3" FNPT

RotaSeal Hose Swivels



PART#	SIZE	REPAIR KIT
112051	3/4" NPT	107-22
112056	1" NPT	109-22
112061	1 1/4" NPT	111-22
112068	1 1/2" NPT	112-22

Liquid Level Vent Valves



PART#	DESCRIPTION	SIZE
111405	Fixed Liquid Level Gauge	1/4" MNPT
111410	Liquid Level Valve - Knurled Handle	1/4" MNPT
111411	Liquid Level Valve - Tee Handle	1/4" MNPT

NH3 Application



Owensboro, KY

270.684.4202

Russellville, KY

270.725.8948

Greensburg, IN

812.222.1220

Mt. Vernon, IL

618.847.0283

A-411-S



A-411

PART#	DESCRIPTION	SIZE
A-411-S	Liquid Level Valve - Knurled Handle	1/4" MNPT
A-411	Liquid Level Valve - Tee Handle	1/4" MNPT



PART#	DESCRIPTION	SIZE
TSS3169	Liquid Level Valve - Tee Handle	1/4" MNPT

Full Flow Y Fitting



PART#	INLET	OUTLET
Y-125	1 1/4" FNPT	1 1/4" FNPT
Y-150	1 1/2" FNPT	1 1/2" FNPT



PART#	SIZE	SCREEN MESH
YS 12-CL-0.25	1/4"	20
YS 12-CL-1.00	1"	20
YS 12-CL-1.25	1 1/4"	20
YS 12-CL-2.00	2"	20
YS 12-CL-3.00	3"	30

REPLACEMENT PARTS FOR TITAN STRAINERS

PART#	DESCRIPTION
YS-12-1.00-SO	Replacement 20 Mesh Screen for 1"
YS-12-1.25-SO	Replacement 20 Mesh Screen for 1 1/4"
Y-12-1.00-G	Replacement Gasket for 1"
Y-12-1.25-G	Replacement Gasket for 1 1/4"
Y-12-2.00-G	Replacement Gasket for 2"

Senior NH3 Gauges



PART#	"H" DIMENSION	TANK DIAMETER	HEAD TYPE	MOUNT
130437	1"	41"	Aluminum	Top
130425	1"	46"	Aluminum	Top

"H" = Distance from tank surface to center of thread

N-Serve SS Gauges



PART#	"H" DIMENSION	TANK DIAMETER	HEAD TYPE	MOUNT
290000	41"	24"	Stainless Steel	Top
290001	46"	30"	Stainless Steel	Top

"H" = Distance from tank surface to center of thread

Acme Dust Caps



PART#	DESCRIPTION	ACME THREAD
111585	Nylon Cap w/ Chain	1 3/4"
110680	Iron Cap w/ Chain	1 3/4"
110696	Iron Cap w/ Chain	2 1/4"
110701	Iron Cap w/ Chain	3 1/4"

Acme Gaskets



PART#	DESCRIPTION
126663	1 1/4" Acme
119337	1 3/4" Acme
126673	2 1/4" Acme
126673	3 1/4" Acme
128169	4 1/4" Acme
22-71-F	For 1 3/4" Dust Cap

NH3 Application

Call for Pricing



173



NH3 Anhydrous Ammonia Gauges

PART#	SIZE	PSI	LM
2180DSX60	2 1/2"	0-60	1/4"
2180DSX160	2 1/2"	0-160	1/4"
2180DSX400	2 1/2"	0-400	1/4"
4180DSX60	4"	0-60	1/4"
4180DSX160	4"	0-160	1/4"
4180DSX400	4"	0-400	1/4"



A50SS "Super Sealer"



PART#	TYPE	TUBE SIZE	SEALER
A50SS104X	Front Swept	3/8"	No
A50SS1818	Front Swept	Dual 3/8"	No
A50SS1834	Front Swept	3/8" x 3/4"	No



CO50 "Extra-Thin Coulter Knife"



PART#	TYPE	TUBE SIZE	SEALER
CO501000	Front Swept	3/8"	No
CO502000	Front Swept	1/2"	No

A50UVX "Drop Forged"



PART#	TYPE	TUBE SIZE	SEALER
A50UVX114X	Front Swept	3/8"	Yes
A50UVX134X	Front Swept	3/8" x 3/4"	Yes

Solid Ni-Chrome Liquid Applicator Knife



PART#	TYPE	TUBE SIZE	SEALER
K-7S*	Front Swept	3/8"	No

A50MM "Minimum Movement"



PART#	TYPE	TUBE SIZE	SEALER
A50MM114X	Front Swept	3/8"	Optional
A50MM134X	Front Swept	3/8" x 3/4"	Optional

Chrome Insert Front Swept Knife



PART#	TYPE	TUBE SIZE	SEALER
A50H134X	Front Swept	3/8"	Yes
A50NP114X	Front Swept	3/8" x 3/4"	Yes



Owensboro, KY
270.684.4202

Russellville, KY
270.725.8948

Greensburg, IN
812.222.1220

Mt. Vernon, IL
618.847.0283



PART#	TYPE	TUBE SIZE	SEALER
KKNWW50T	Front Swept	3/8"	Yes



PART#	TYPE	TUBE SIZE	SEALER
KKNCMSST38	Front Swept	3/8"	Yes



PART#	TYPE	TUBE SIZE	SEALER
KKNCMSSX3834	Front Swept	3/8" x 3/4"	Yes
KKNCMSSX3838	Front Swept	Dual 3/8"	Yes

Liquid Applicator Knife



PART#	TYPE	TUBE SIZE	SEALER
K-33607014BBSST	Front Swept	3/8"	No



PART#	TYPE	TUBE SIZE	SEALER
A-720-3S	Non Coated, Front Swept	3/8"	Yes
A-720C-3S*	Coated, Front Swept	3/8"	Yes

Thin Chrome Fertilizer Knives



PART#	DESCRIPTION
K-33607014C	Slotted to Accommodate Various Coultter Sizes
K-33607014BBSST	Constructed of Boron Steel
K-5S	For Ag and Other Coultter Injection Systems

Knife Sealer



PART#	DESCRIPTION
AS75N	Narrow Sealer
AS75W	Wide Sealer

Replacement Vapor Tubes



PART#	DESCRIPTION
1218S	3/8" Crimped & Drilled Replacement Tube
1218SOE	3/8" Open End Replacement Tube
1234F	3/4" Replacement Vapor Tube

Sub-Tiller Wear Parts



PART#	DESCRIPTION
AP-503200	Blu-Jet Fall OEM ST Point
AP-503300	Blu-Jet Spring OEM ST Point
AP-801600	Blu-Jet ACRA Shank Guard

NH3 Application

Call for Pricing



175



Safety Decals



PART#	DESCRIPTION
SMV7	Slow Moving Vehicle



PART#	DESCRIPTION
V1005	1005 NH3 Diamond



PART#	DESCRIPTION
V9	Caution & First Aid



PART#	DESCRIPTION
V45	Valve & Hose ID Set



PART#	DESCRIPTION
V5-A-GRN	4" Curved NH3



PART#	DESCRIPTION
V5	10"x 24" Green NH3



PART#	DESCRIPTION
VOO	NH3 Transfer Instructions



PART#	DESCRIPTION
V2-B	2" Inhalation Hazard
V3-B	3" Inhalation Hazard



PART#	DESCRIPTION
V2-A	2" Green NH3
V38	3" Green NH3

Safety Items



PART#	DESCRIPTION
2220	Vented Safety Goggles
2237	Non-Vented Safety Goggles



PART#	DESCRIPTION
3M6900	Full Facepiece Respirator
3M6300	Half Facepiece Respirator

**Part# 3M6004 is the Replacement Respirator Filter



PART#	DESCRIPTION
CRE103	Ratchet Takeup Headgear



PART#	DESCRIPTION
5319	Rubber Nitrile Gloves

**Price Shown is Per Pair



PART#	DESCRIPTION
MEM6212	Black PVC Gloves
BES7714R	Black PVC Gloves (Long)

**Price Shown is Per Pair



PART#	DESCRIPTION
76411	5 Gallon Side Mount Water Tank

